

Please amend the present application as follows:

**Claims**

The following is a copy of Applicant's claims that identifies language being added with underlining ("\_\_\_\_") and language being deleted with strikethrough ("—"), as is applicable:

1. (Previously presented) A method of providing a menu in relation to a document, the method comprising:

creating a document within a program;

identifying a predetermined behavior that can be used to modify documents opened within the program but that is not generally available for selection from a main menu of the program;

specifically associating the predetermined behavior with the created document;

and

creating a menu item associated with the predetermined behavior that is configured for addition to the main menu of the program when the created document is opened within the program but that is not made generally available for all documents opened within the program, such that the predetermined behavior will be available for selection from the main menu for the created document but not necessarily for other documents opened within the program.

2. (Canceled)

3. (Canceled)

4. (Previously presented) The method of claim 1, further comprising merging the menu item associated with the predetermined behavior with the main menu of the program when the created document is opened within the program such that the menu item associated with the predetermined behavior is presented to the user for selection in specific association with the created document.

5. (Canceled)

6. (Canceled)

7. (Previously presented) The method of claim 1, wherein specifically associating the predetermined behavior with the created document comprises creating a list of behaviors associated with the created document.

8. (Previously presented) The system of claim 7, wherein specifically associating the predetermined behavior with the created document further comprises defining a pointer associated with the created document, the pointer pointing to the list of behaviors.

9. (Previously presented) A system for displaying a menu on a display device in relation to a particular document, the system being stored on a computer-readable medium, the system comprising:

logic configured to create a particular document within a program;

logic configured to specifically associate a predetermined behavior with the particular document;

logic configured to create a menu fragment associated with the predetermined behavior, the menu fragment being configured for addition to a main menu of the program; and

logic configured to merge the menu fragment with the main menu when the particular document is opened such that the predetermined behavior is made available for selection from the main menu of the program for the particular document but not necessarily for other documents opened within the program.

10. (Canceled)

11. (Canceled)

12. (Previously presented) A method of providing a menu in relation to a particular document that was created with and is running in a program, the method comprising:

receiving a user input;

generating a command message in response to the user input, the command message comprising a command ID indicative of a predetermined process that corresponds to a selected menu item;

determining if the command ID corresponds to a predetermined behavior that has been specifically associated with the particular document; and

initiating a process represented by the predetermined behavior where it is determined that the command ID corresponds to the predetermined behavior that has been specifically associated with the particular document.

13. (Canceled)

14. (Previously presented) The method of claim 12, wherein the user input comprises selection of a displayed menu item.

15-17. (Canceled)

18. (Previously presented) The method of claim 4, wherein merging the menu item comprises adding a new menu to the main menu, the merged menu item being contained within the new menu.

19. (Previously presented) The method of claim 4, wherein merging the menu item comprises adding the menu item to an existing menu of the main menu.

20. (Previously presented) The method of claim 7, wherein creating a list of behaviors comprises creating a list of behaviors that includes the predetermined behavior.

21. (Previously presented) The system of claim 9, wherein the logic configured to create a main menu is configured to create a main menu comprising menu items that are associated with behaviors that are generally available for all documents opened within the program.

22. (Previously presented) The system of claim 9, wherein the logic configured to specifically associate is configured to create a list of behaviors associated with the particular document.

23. (Previously presented) The system of claim 22, further comprising logic configured to define a pointer associated with the particular document, the pointer being configured to point to the list of behaviors.

24. (Previously presented) A system stored on a computer-readable medium, the system comprising:

logic configured to receive a user selection of a menu item;

logic configured to generate a command message in response to the user selection, the command message comprising a command ID indicative of a predetermined process that corresponds to the selected menu item;

logic configured to determine if the command ID corresponds to a predetermined behavior that has been specifically associated with a particular document; and

logic configured to initiate a process represented by the predetermined behavior where it is determined that the command ID corresponds to the predetermined behavior that has been specifically associated with the particular document.